

Agenda

County of Inyo Board of Supervisors

Board of Supervisors Room
County Administrative Center
224 North Edwards
Independence, California

All members of the public are encouraged to participate in the discussion of any items on the Agenda. Anyone wishing to speak, please obtain a card from the Board Clerk and indicate each item you would like to discuss. Return the completed card to the Board Clerk before the Board considers the item (s) upon which you wish to speak. You will be allowed to speak about each item before the Board takes action on it.

Any member of the public may also make comments during the scheduled "Public Comment" period on this agenda concerning any subject related to the Board of Supervisors or County Government. No card needs to be submitted in order to speak during the "Public Comment" period.

Public Notices: (1) In Compliance with the Americans with Disabilities Act, if you need special assistance to participate in this meeting please contact the Clerk of the Board at (760) 878-0373. (28 CFR 35.102-35.104 ADA Title II). Notification 48 hours prior to the meeting will enable the County to make reasonable arrangements to ensure accessibility to this meeting. Should you because of a disability require appropriate alternative formatting of this agenda, please notify the Clerk of the Board 72 hours prior to the meeting to enable the County to make the agenda available in a reasonable alternative format. (Government Code Section 54954.2). (2) If a writing, that is a public record relating to an agenda item for an open session of a regular meeting of the Board of Supervisors, is distributed less than 72 hours prior to the meeting, the writing shall be available for public inspection at the Office of the Clerk of the Board of Supervisors, 224 N. Edwards, Independence, California and is available per Government Code § 54957.5(b)(1).

Note: Historically the Board does break for lunch, the timing of a lunch break is made at the discretion of the Chairperson and at the Board's convenience.

ADDENDUM

to

Inyo County Board of Supervisors

Regular Meeting

9:00 a.m.

December 18, 2012

CORRECTION

27. **COUNTY ADMINISTRATOR – Integrated Waste Management** – Request Board A) approve the job description for Integrated Waste Management Program Superintendent and Senior Integrated Waste Management Program Superintendent; B) amend the authorized strength by deleting one Managing Landfill Engineer at Range 80 (\$5,364 – \$6,522) and adding one Integrated Waste Management Program Superintendent position at Range 78 (\$4,997 - \$6,074); and C) find that consistent with the adopted Authorized Position Review Policy: (a) the availability of funding for the Integrated Waste Management Program Superintendent comes from a Non-General Fund department, as certified by the County Administrator, and concurred with by the Auditor-Controller; (b) where internal candidates meet the qualifications for the position Integrated Waste Management Program Superintendent, the position could possibly be filled through an internal recruitment, however an open recruitment is appropriate to ensure the position is filled with the best qualified candidate; and (c) approve the hiring of one Integrated Waste Management Program Superintendent, at Range 78 (\$4,997 - \$6,074). ~~574) — Request Board find that consistent with the adopted Authorized Position Review Policy: A) the availability of funding for a Health and Human Services Supervisor position exists, as certified by the Director of Health and Human Services, and concurred with by the County Administrator and the Auditor-Controller; B) where internal candidates meet the qualifications for the position of Health and Human Services Supervisor, the position could possibly be filled through an internal recruitment, however an open recruitment would be more appropriate to ensure a sufficient number of qualified applicants apply; if one is not found on an existing list; and C) approve the hiring of one Health and Human Services Supervisor, at Range 66 (\$3,757 – \$4,574).~~